

Name	Indication	Dose & Route	Max Dose
Adenosine	• Narrow Tachycardia	• 6 mg 1 dose, 12 mg subsequent doses Rapid IVP/ IO	• 18 mg
Albuterol	• Bronchoconstriction/ Wheezing	• 5 mg via Nebulizer	• As Needed HR<160
Amiodarone	• Cardiac Arrest • Unstable V-Tach	• 300 mg IVP/IO, Repeat 150 mg. • 150 mg infused over 10 minutes	• 450 mg. • 150 mg.
Aspirin	• Chest Pain of Cardiac Origin	• 324 mg PO	• 324 mg
Atropine Sulfate	• Symptomatic Bradycardia • Organophosphate poisoning	• 0.5 mg IVP/ IO • 2 mg IVP/ IO	• 3 mg • As Needed
Calcium Chloride	• Crush Injury	• 10 ml (10%) Slow IVP/ IO	• 10 ml (1 gm)
Dextrose 10%	• Hypoglycemia	• 25 grams IVP/ IO	• 50 grams
Diphenhydramine	• Allergic Reaction • Dystonic Reaction	• 1 mg/ kg IVP/ IM • 1 mg/ kg IVP/ IM	• 50 mg • 50 mg
Epinephrine	• Anaphylactic Shock • Cardiac Arrest • Severe Allergic Reaction • Severe Bronchospasm	• 0.3 mg IM (1:1,000) every 5 m prn • 1 mg IVP/IO (1:10,000) • 0.3 mg IM (1:1,000) • 0.3 mg IM (1:1,000)	• Base MD • None • As Needed • 0.3 mg
Push-Dose Epinephrine	• Persistent Shock	• 0.5 ml (5 mcg) IVP/IO (1:10,000) q 3-5 m	• 5 mcg per dose
Fentanyl Citrate	• Non-Traumatic Pain • Extremity Trauma/Burns • Snake Bite	• 50 - 100 mcg IVP, IO, IM, or IN	• 200 mcg max
Glucagon	• Hypoglycemia	• 1 unit (1 mg) IM • 1 unit (1 mg) IVP/ IM/ IO	• 2 mg • 2 mg
Glucose Paste	• Hypoglycemia	• As Needed PO	• As Needed
Lidocaine	• V Fib • Pulseless V Tach • Wide Complex V Tach • Intraosseous Infusion	• 1 mg/kg IVP/ IO • 1 mg/kg IVP/ IO • 1 mg/kg IVP/ IO • 40 mg IO	• 3 mg/kg • 3 mg/kg • 3 mg/kg • 40 mg
Midazolam (Versed)	• Sedation for Cardioversion • Seizures • Airway Management • Chemical Restraint	• 5 mg IM or 2.5 mg IVP/IO/IN • 5 mg IM or 2.5 mg IVP/IO/IN • 5 mg IM or 2.5 mg IVP/IO/IN • 5 mg IM or 2.5 mg IVP/IO/IN	• 10 mg/5 mg • 10 mg/5 mg • 10 mg/5 mg • Base MD
Morphine Sulfate	• Cardiac Chest Pain • Non-Traumatic Pain • IO Fluid Administration • Extremity Trauma/Burns • Snake Bite	• 2-5 mg SLOW IVP, 10 mg IM • 2-5 mg SLOW IVP, 10 mg IM • 2-5 mg SLOW IO • 2-5 mg SLOW IVP/ 10 mg IM • 2-5 mg SLOW IVP/ 10 mg IM	• 5 mg IV/ 10 mg IM • 5 mg IV/ 10 mg IM • 5 mg • 15 mg • 15mg

David Ghilarducci MD

David Ghilarducci MD
EMS Medical Director

Protocol 700-D1

Adult Drug List

Rev: 11/18

Name	Indication	Dose & Route	Max Dose
Narcan (Naloxone)	<ul style="list-style-type: none"> Narcotic Overdose 	<ul style="list-style-type: none"> 2 mg IVP/ IN/ IM/ IO 	<ul style="list-style-type: none"> As Needed
Nitroglycerine Spray Nitroglycerine Paste	<ul style="list-style-type: none"> Cardiac Chest Pain & Pulmonary Edema 	<ul style="list-style-type: none"> 0.4 mg SL 1 Inch 	<ul style="list-style-type: none"> As Needed 1 Application
Ondansetron (Zofran)	<ul style="list-style-type: none"> Nausea and Vomiting 	<ul style="list-style-type: none"> 4 mg IV/IO/IM/ODT 	<ul style="list-style-type: none"> 16 mg
Sodium Bicarbonate	<ul style="list-style-type: none"> Cardiac Arrest Cyclic Antidepressant OD Crush Injury 	<ul style="list-style-type: none"> 1 mEq/kg IV/IO 1 mEq/kg IV/IO 1 mEq/kg IV/IO 	<ul style="list-style-type: none"> 1 mEq/kg 100 mEq 1 mEq/kg

David Ghilarducci MD

David Ghilarducci MD
EMS Medical Director