

| Name | Indication | Dose & Route | Max Dose |
|-------------------------|--|--|---|
| Adenosine | <ul style="list-style-type: none"> Narrow Tachycardia | <ul style="list-style-type: none"> 0.1 mg/kg, 0.2 mg/kg subsequent doses Rapid IVP/ IO | <ul style="list-style-type: none"> 18 mg |
| Albuterol | <ul style="list-style-type: none"> Bronchoconstriction/ Wheezing | <ul style="list-style-type: none"> 2.5 mg via Nebulizer | <ul style="list-style-type: none"> As Needed HR<180 |
| Amiodarone | <ul style="list-style-type: none"> Cardiac Arrest | <ul style="list-style-type: none"> 5mg/kg IVP/IO, single dose only | <ul style="list-style-type: none"> 300 mg |
| Atropine Sulfate | <ul style="list-style-type: none"> Symptomatic Bradycardia Organophosphate poisoning | <ul style="list-style-type: none"> 0.02 mg/kg IVP/ IO 0.05 mg IVP/ IO | <ul style="list-style-type: none"> 1 mg As Needed |
| Calcium Chloride | <ul style="list-style-type: none"> Crush Injury | <ul style="list-style-type: none"> 10 ml (10%) Slow IVP/ IO | <ul style="list-style-type: none"> 10 ml (1 gm) |
| Dextrose 10% | <ul style="list-style-type: none"> Hypoglycemia | <ul style="list-style-type: none"> < 6 months 0.25-0.5 g/kg/dose IV; not to exceed 25 g/dose Infants > 6 months and Children 0.5-1 g/kg/dose IV; not to exceed 25 g/dose Adolescents IV: 10-25 g | <ul style="list-style-type: none"> 25 grams |
| Diphenhydramine | <ul style="list-style-type: none"> Allergic Reaction Dystonic Reaction | <ul style="list-style-type: none"> 1 mg/kg IVP/ IM 1 mg/kg IVP/ IM | <ul style="list-style-type: none"> 50 mg 50 mg |
| Epinephrine | <ul style="list-style-type: none"> Anaphylactic Shock Cardiac Arrest Severe Allergic Reaction Severe Bronchospasm | <ul style="list-style-type: none"> 0.01 mg/kg IVP/IO (1:10,000) 0.01 mg/kg IVP/IO (1:10,000) 0.3 mg IM (1:1,000) 0.3 mg IM (1:1,000) | <ul style="list-style-type: none"> Base MD None As Needed 0.3 mg (0.3 ml) |
| Epinephrine (Push Dose) | <ul style="list-style-type: none"> Persistent Shock | <ul style="list-style-type: none"> 0.1 ml/kg (1 mcg/kg) IVP/IO Push-dose q 3-5 m | <ul style="list-style-type: none"> 5 mcg per dose |
| Fentanyl Citrate | <ul style="list-style-type: none"> Non-Traumatic Pain Extremity Trauma/Burns Snake Bite Thoracic or Abdominal Trauma | <ul style="list-style-type: none"> 1 mcg/kg IV/IO, IM or IN 1 mcg/kg IV/IO, IM or IN 1 mcg/kg IV/IO, IM or IN 1 mcg/kg IV/IO, IM or IN | <ul style="list-style-type: none"> 2 mcg/kg or 100 mcg max 2 mcg/kg or 100 mcg max 2 mcg/kg or 100 mcg max 2 mcg/kg or 75 mcg max |
| Glucagon | <ul style="list-style-type: none"> Hypoglycemia Calcium Channel Blocker OD | <ul style="list-style-type: none"> < 20 kg give 0.5 units or 0.5 mg IV/IO/IM > 20 kg give 1 unit or 1 mg IV/IO/IM | <ul style="list-style-type: none"> 2 mg 2 mg |
| Glucose Paste | <ul style="list-style-type: none"> Hypoglycemia | <ul style="list-style-type: none"> As Needed PO | <ul style="list-style-type: none"> As Needed |
| Lidocaine | <ul style="list-style-type: none"> Stable Wide Tachycardia | <ul style="list-style-type: none"> 1 mg/kg IVP/ I | <ul style="list-style-type: none"> 3 mg/kg |
| Midazolam (Versed) | <ul style="list-style-type: none"> Sedation for Cardioversion Seizures Airway Management Chemical Restraint | <ul style="list-style-type: none"> 0.1 mg/kg IM or 0.05 mg/kg IVP/IO 0.1 mg/kg IM or 0.05 mg/kg IVP/IO 0.1 mg/kg IM or 0.05 mg/kg IVP/IO 0.1 mg/kg IM or 0.05 mg/kg IVP/IO | <ul style="list-style-type: none"> 5 mg 5 mg 5 mg Base MD |
| Morphine Sulfate | <ul style="list-style-type: none"> Non Traumatic Pain IO Fluid Administration Extremity Trauma/Burns Snake Bite | <ul style="list-style-type: none"> 0.1 mg/kg IVP/IO/IM 0.1 mg/kg IVP/IO/IM 0.1 mg/kg IVP/IO/IM 0.1 mg/kg IVP/IO/IM | <ul style="list-style-type: none"> 5 mg 5 mg 10 mg 10 mg |
| Narcan (Naloxone) | <ul style="list-style-type: none"> Narcotic Overdose | <ul style="list-style-type: none"> 2 mg IVP/ IN/ IM/ IO | <ul style="list-style-type: none"> 10 mg |
| Ondansetron (Zofran) | <ul style="list-style-type: none"> Nausea or Vomiting | <ul style="list-style-type: none"> 0.1 mg/kg IV/IO/IM 2 mg ODT (2-3 y/o) 4 mg ODT (≥ 4 y/o) | <ul style="list-style-type: none"> 4 mg |